


LEACH FIELD SECTION


SLOPE TRENCH
BOTTOM
1/16" - 1/32"
PER FOOT

CRUSHED STONE OR
WASHED GRAVEL
3/4" TO 1 1/2"




PROVIDE 100% EXPANSION AREA FOR LEACH FIELD.
MAINTAIN SEPARATION REQUIREMENTS TO ADJACENT
WELLS, WATER BODIES AND PROPERTY LINES PER NYSDOH.

LEACH FIELD PROFILE



SEPTIC TANK SECTION



SEPTIC TANK PLAN

NOTES:

- 1.) PLANS FOR PRIVATE WASTEWATER TREATMENT SYSTEMS MUST BE PREPARED BY A NEW YORK STATE LICENSED DESIGN PROFESSIONAL.
- 2.) PRIVATE WASTEWATER TREATMENT SYSTEMS SHALL ONLY BE APPROVED WHERE PUBLIC FACILITIES ARE NOT FEASIBLE.
- 3.) OWNER IS RESPONSIBLE FOR OPERATING AND MAINTAINING SYSTEM IN A SANITARY MANNER AT NO EXPENSE TO THE CITY PER CITY CODE SECT. 231-15.
- 4.) CALCULATIONS FOR SYSTEM SIZING, PERCOLATION TEST RESULTS AND TEST HOLE DATA SHALL BE PROVIDED TO THE CITY ENGINEER PRIOR TO INSTALLATION.

APPROVED:

PLANNING BOARD

1/13/2010

DATE

CITY OF SARATOGA SPRINGS, NEW YORK

STANDARD DETAIL

Septic System

DWG No

SA-5